

THE WILSON

Schedule D - Page 1



Renderings are artist's concept only E. & O. E. Integrity Homes Limited 2024

VERSION: 1.0

TOTAL SQ FT


2581

GENERAL SCHEDULE	
SH	SHELVES
S	SHELF & ROD
D	SHELF & ROD x 2

GENERAL SCHEDULE	
LB	LIGHT BULB
LF	LIGHT FIXTURE
EL	EXTERIOR LIGHT
P	POT LIGHT
PL	PENDANT LIGHT
M	WALL MEDIA OUTLETS WITH BACKING

* Stairs requirement & configuration may vary as per lot topography. Light fixture locations may vary to accommodate HVAC, code or framing design. Utility equipment locations may vary based on HVAC, joist design, grade or subdivision plans. Exterior wall width may vary based on the frost wall requirements. Municipal Architectural Controls may require modifications to exterior and material used, appearance and colours. Window and door size & orientation may vary based on grade requirements where applicable.

MAIN FLOOR




TOTAL SQ FT
1347

GENERAL SCHEDULE	
SH	SHELVES
S	SHELF & ROD
D	SHELF & ROD x 2

GENERAL SCHEDULE	
LB	LIGHT BULB
LF	LIGHT FIXTURE
EL	EXTERIOR LIGHT
P	POT LIGHT
PL	PENDANT LIGHT
M	WALL MEDIA OUTLETS WITH BACKING

* Stairs requirement & configuration may vary as per lot topography. Light fixture locations may vary to accomodate HVAC, code or framing design. Utility equipment locations may vary based on HVAC, joist design, grade or subdivision plans. Exterior wall width may vary based on the frost wall requirements. Municipal Architectural Controls may require modifications to exterior and material used, appearance and colours. Window and door size & orientation may vary based on grade requirements where applicable.

LOWER FLOOR



TOTAL SQ FT
1234

GENERAL SCHEDULE	
SH	SHELVES
S	SHELF & ROD
D	SHELF & ROD x 2

GENERAL SCHEDULE	
LB	LIGHT BULB
LF	LIGHT FIXTURE
EL	EXTERIOR LIGHT
P	POT LIGHT
PL	PENDANT LIGHT
M	WALL MEDIA OUTLETS WITH BACKING

* Stairs requirement & configuration may vary as per lot topography. Light fixture locations may vary to accomodate HVAC, code or framing design. Utility equipment locations may vary based on HVAC, joist design, grade or subdivision plans. Exterior wall width may vary based on the frost wall requirements. Municipal Architectural Controls may require modifications to exterior and material used, appearance and colours. Window and door size & orientation may vary based on grade requirements where applicable.